NASA KSC Export Control Office (ECO) Export/SBU Determination Record

EDDR# 102242

DOCUMENT INFORMATION: (TITLE, NUMBER, REV, DATE)								
KSC-STD-F-0005, KSC Flooring Standard								
		_		_				
SENSITIVE B	UT UNCLASSIFIE	ED (SBU)						
	NS: This item mi IPR 1600.1, Chap		er the requirements for "Sensitive	But Unclass	sified Information" as			
		http://no	dis-dms.gsfc.nasa.gov					
	Ye.	s No Si	BU Reviewer's Signature	Date	Company / Org			
Document co.	ntains SBU?			12/10	TAB3A			
EXPORT CO	NTROL (EC)							
		cument requiring an	export determination. Contact the I	KSC ECO H	elp Desk (867-9209)			
for help in cor	npleting this form.							
		http://exp	ortcontrol.ksc.nasa.gov/					
Contractor E	C Paviouada Nam	e and Organization	Contractor EC Reviewer's	Cianatura	Doto			
Contractor Et	S Reviewer's Ivail	e and Organization	Contractor EC Reviewers	Sayriature	Date			
ļ								
NASA ECO Reviewer's Name and Organization			NASA ECO Reviewer's Signature Date					
C. Wayne Ranow, NASA/TA-A2			CLARENCE RANOW (9/28/2010)					
	EXPORT			Con The also	of the second			
	CONTROL CONTRO			10, 6 10 10 10 10 10 10 10 10 10 10 10 10 10				
The information contained in the document is technical in content, but is not technical data as defined by the FAR and therefore is FAR 99 MIR (no except liberary required). (General Prohibition Six (Embarro) applied								
EAR 99	NLR	EAR, and therefore is EAR 99 NLR (no export license required). [General Prohibition Six (Embargo) applies to all items subject to the EAR, i.e. items on the CCL and within EAR 99 NLR. You may not make an export or re-export contrary to the provisions of part 748 (Embargos and Other Special Controls) of the EAR and 22 CFR part 128.1 of the ITAR.]						
EAR		This document is within the purview of the Export Administration Regulations (EAR), 15 CFR 730-774, and is export controlled. It may not be transferred to foreign nationals in the U.S. or abroad without specific approval of a knowledgeable						
Controlled		NASA export control official, and/or unless an export license or license exception is obtained/available from the Bureau of Industry and Security, United States Department of Commerce. Violations of these regulations are punishable by fine, imprisonment, or both.						
ITAR		This document contains information which falls under the purview of the U.S. Munitions List (USML), as defined in the International Traffic in Arms Regulations (ITAR), 22 CFR 120-130, and is export controlled. It shall not be transferred to foreign nationals, in the U.S. or shroad, without specific approval of a knowledgeable NASA export control official, and/or unless an export license or license exemption is obtained/available from the United States Department of State. Violations of						
Controlled		refigin nationals, in the U.S. or abroad, without specific approval of a knowledgeable NASA export control official, and/or unless an export license exemption is obtained/available from the United States Department of State. Violations of these regulations are punishable by fine, imprisonment, or both.						

PCN			DOCUMENT	DELE		A 1 1 T 1 1	ODIZATI		Page 1	of 1
ESR		DOCUMENT RELEASE AUTHORIZATION KENNEDY SPACE CENTER, NASA					Rev/Date			
DIR			DRA No. C - 004601 5F000000-1029					Signature		
EFF		Title KSC	FI OORI	ING S	TANDA	RD				
EQ.Loc.		KSC FLOORING STANDARD					Ven Code			
SDL									Contract	
	DOCUMENTS									
1#	PREF	DOCUMENT NUM	BER SHEETS	ISSUE	SIZE	SHTS	B/L NO.	ss	MODEL NUMBER	wuc
1	STD	KSC-STD-F-0005, COV iv, sheets 1-5	PER' ii, iii,	NEW	N/A	## 10	N/A	N/A	N/A	N/A
						·				
			•							
									. •	
				ECHNICA	RFM	ARKS		<u> </u>		
This	documer	nt provides clarifications of					al choices fo	r floor	ing within new constr	ruction or
reno	vation/re	vitalization projects at KS	C							
						i	(
APPROVALS										
	_	Mille	Mail Code Date	16/2010	R&QA	\		•	Mail Code	Date
Tech	IA MILI nical G YU	frit !	TA-B3A ///	1612010 12010	Other					
	e and We			1	Joint	Release				
	rement P	kg. 68 NS (REV. 02/04) PREVIC	NE EDITIONS ARE OF	DEOLETE	Relea	se IA MILI	Mill- LER		TA-B3A	11/16/2010

Distribution Number

DOCUMENT RELEASE AUTHORIZATION DISTRIBUTION KENNEDY SPACE CENTER, NASA

Page 2

of 2

DRA No.

F-00KSO1-5F000000-1029

QUANTITY	MAIL CODE	NAME	QUANTITY	MAIL CODE	NAME
DRA	TA-B	Dan Tweed			
DRA	CC	Tara Gilliam			
DRA	FA				
DYZA	GG	Sandy Massey			
DRA	IT		. •		
DIRA	LX	C. Houle			
DRA	MK	Randy Segert	•		
IDRA	NE				
DRA	OP	Bryce Collins			
DRA	PH		li		
DRA	SA				
DRA	TA-A				
PÁCI	UB	Ronnie Lawson			
DRA	VA		·		·
DRA	TA-B3	Miguel Morales			
DRA	TA-B3A	Tom Wilczek			•
DRA	TA-B3A	Ping Yu			
URA	TA-B3A	Sonia Miller			
DRA	TA-B3D	Richard Boyles			·
DRA	TA	Nancy Bray			
DRA	TA	Micheal Benik			·
DRA	TA-B3C	Dennis Bayon		·	
DRA	TA-B3B	Ernesto Camacho			
1) RA	TA-B3B	John Davies			
URA	TA-B3B	James Miller			
DRA	TA-B4B	Gus Diaz			
DRA	TA-B4	Darrell Foster			
dra	TA-B4C	Ramon Mejias			

REPRODUCTION AND DISTRIBUTION INSTRUCTIONS

METRIC/INCH-POUND

KSC-STD-F-0005 NOVEMBER 16, 2010

KSC FLOORING STANDARD

EAR 99 -- NO LICENSE REQUIRED

The information contained in the document is technical in content, but not technical data as defined by the International Traffic in Arms Regulations (ITAR) or the Export Administration Regulations (EAR), and therefore is <u>EAR 99 NLR</u>, no <u>export license required</u>, suitable for public release. [General Prohibition Six (Embargo) applies to all items subject to the EAR, (i.e., items on the CCL and within EAR 99 NLR). You may <u>not</u> make an export or re-export contrary to the provisions of part 746 (Embargos and Other Special Controls) of the EAR and 22 CFR part 126.1 of the ITAR].

EDDR 102207, NASA KSC Export Control Office, (321) 867-9209

CONSTRUCTION OF FACILITIES DIVISION

National Aeronautics and Space Administration

John F. Kennedy Space Center

KSC FORM 16-12 (REV. 6/95) PREVIOUS EDITIONS ARE OBSOLETE (CG 11/95)

KDP-F-5407 BASIC

KSC-STD-F-0005



KSC FLOORING STANDARD

Approved by:

Miguel A. Morales

Chief, Construction of Facilities Division

CONTENTS

1.	SCOPE	1
2.	APPLICABLE DOCUMENTS	
2.1	Governmental	1
2.2	Non-Governmental	1
3.	DEFINITIONS	1
4.	GENERAL REQUIREMENTS	2
5.	DETAILED REQUIREMENTS	2
6.	NOTES	3
6.1	General	3
6.2	Intended Use	3

KSC-STD-F-0005 November 16, 2010

This page intentionally left blank.

KSC FLOORING STANDARD

1. SCOPE

It is NASA policy to utilize consistency during the selection and standardization of materials for construction at KSC. This document provides clarifications of the requirements and recommended material choices for flooring within new construction or renovation/revitalization projects at KSC.

2. APPLICABLE DOCUMENTS

Not Applicable.

2.1 Governmental

Source Organization

KSC-TA-10987

Kennedy Space Center Flooring Study

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specified procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer.)

2.2 Non-Governmental

Not Applicable.

3. **DEFINITIONS**

Not Applicable.

4. GENERAL REQUIREMENTS

This KSC Standard applies to all NASA KSC Facilities, including component facilities, and to contractors or other entities that create and/or maintain facilities within the KSC property, or on behalf of, NASA as specified in their contract or other federal agreement.

5. DETAILED REQUIREMENTS

For new construction and/or substantial modifications, utilize the following materials:

Offices (enclosed and open areas)

General Office Area:

Resilient flooring

Senior Executive Office:

Resilient flooring and/or carpet

Ancillary Spaces (file/copy rooms, custodial service/janitorial closets, electrical and telecommunication areas, computer server rooms, main distribution frame (MDF) rooms)

Resilient flooring, resinous coatings or sealed concrete

Mechanical Rooms

Sealed concrete or resinous coatings

Public Spaces

Entrance/lobby, circulation, restroom, and food service areas:

Ceramic tile, resilient flooring or polished concrete

Fitness Center:

Athletic flooring systems or resilient flooring

Laboratory

Resilient flooring, resinous coatings or sealed concrete

Conference Room

Resilient flooring or carpet

Industrial/Shop Area

Sealed concrete or resinous coating

Storage

Warehouse

Sealed concrete or resinous coating

Office goods, miscellaneous equipment and supply storage

Resilient flooring or sealed concrete

6. NOTES

6.1 General

Not Applicable.

6.2 Intended Use

The NASA Construction of Facilities Division is delegated authority to implement, oversee, and manage this standard pursuant to KSC policy.

NOTICE. The Government drawings, specifications, and/or data are prepared for the official use by, or on behalf of, the United States Government. The Government neither warrants these Government drawings, specifications, or other data, nor assumes any responsibility or obligation, for their use for purposes other than the Government project for which they were prepared and/or provided by the Government, or any activity directly related thereto. The fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded, by implication or otherwise, as licensing in any manner the holder or any other person or corporation nor conveying the right or permission to manufacture, use, or sell any patented invention that may relate thereto.

Custodian:

Preparing Activity:

Construction of Facilities Division NASA – John F. Kennedy Space Center Kennedy Space Center, Florida 32899 Construction of Facilities Division John F. Kennedy Space Center Kennedy Space Center, Florida 32899 KSC-STD-F-0005 November 16, 2010

This page intentionally left blank.

4

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.

2. DOCUMENT DATE

The submitter of this form must complete blocks 4, 5, 6, and 7.

I RECOMMEND A CHANGE:

3. DOCUMENT TITLE

3. The preparing activity must provide a reply within 30 days from receipt of the form.

1. DOCUMENT NUMBER

NOTE: This form may not be used to request copies of documents, nor to request waivers or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document or to amend contractual requirements.

KSC Flooring Standard					
4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)					
Creation of the associated standard.					
•					
		i			
•					
	•				
5. REASON FOR RECOMMENDATION					
To increase sustainability of KSC facilities.		·			
·					
		·			
6. SUBMITTER					
a. NAME (Last, First, Middle Initial)	b. ORGANIZATION				
Morales, Miguel A	TA-B3A				
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code)	7. DATE SUBMITTED			
Kennedy Space Center, Florida, 32899	(321)867-3570				
	(321)667-3370	11/16/2010			
8. PREPARING ACTIVITY	<u> </u>				
a. NAME	b. ORGANIZATION				
Sonia Miller	TA-B3A				
	177 507				
c. ADDRESS (Include Zip Code)					
Kennedy Space Center, Florida, 32899					
	· · · · · · · · · · · · · · · · · · ·				